IN THE CLAIMS

Please amend the claims as follows:

- 1. (original) A loudspeaker including a housing (2) with a front side (2a) and a rear side (2b), a diaphragm (8) accommodated in and flexibly connected to the housing and an actuator (6) for displacing the diaphragm with respect to the housing along a translation axis (10) imaginarily extending from said one side to said other side of the housing, wherein the housing extends around the translation axis and is provided with a conical forepart (22a) widening towards the front side, a base part (22b) extending towards the rear side and an intermediate housing part (22c) extending between the forepart and the base part and including transition areas (22c₁, 22c₂) connected to the forepart and the base part, which transition areas behave as hinges under the influence of an axial load above a certain value, whereby the intermediate housing portion turns towards the translation axis and the forepart turns towards the rear side under the influence of such a load.
- 2. (original) A loudspeaker as claimed in claim 1, wherein the intermediate housing part has a substantially cylindrical shape.

- 3. (Original) A loudspeaker as claimed in claim 1, wherein the material of the intermediate housing part is different from the material of the forepart and/or the base part.
- 4. (original) A loudspeaker as claimed in claim 1, wherein the transition areas are weaker than the other portions of the housing.
- 5. (original) A loudspeaker as claimed in claim 1, wherein the forepart of the housing has an angle of inclination, related to a line parallel to the translation axis, which is at least 30 degrees.
- 6. (original) A loudspeaker as claimed in claim 1, wherein the intermediate housing part has a length dimension, viewed along a line parallel to the translation axis, which is at least 3 mm.
- 7. (original) A loudspeaker as claimed in claim 1, wherein the intermediate housing part has a thickness dimension, viewed in a direction perpendicular to the translation axis, which is minimally 0.5 mm.
- 8. (currently amended) A housing for use in the loudspeaker as claimed in any one of the preceding claims laim 1, the housing

being constructed as defined in any one of the preceding claims laim 1.